



CUTTING,
SAWING AND
GRINDING





Cutting and Grinding

Corded angle grinder AG 115-S	Page 110
Corded angle grinder AG 115-D	Page 110
Angle grinder DCG 125-S	Page 110
Corded angle grinder AG 180-D	Page 111
Corded angle grinder AG 230-20D	Page 111
Angle grinder DCG 230-D	Page 112
Angle grinder DCG 230-DB	Page 112
Cordless angle grinder AG 125-A22	Page 112
Diamond cutter DCH 230	Page 113
Diamond cutter DCH 300	Page 113
Hand-held gas saw DSH 700	Page 114
Hand-held gas saw DSH 900	Page 114
Slitting machine DCH 180-SL	Page 115
Slitting machine DC-SE 20	Page 115
Diamond grinder DG 150	Page 115



Cordless Saws

Cordless circular saw SCM 22-A	Page 116
22V cordless circular saw featuring low weight, for cutting materials up to 57 mm thick SCW 22-A	Page 116
Cordless reciprocating saw WSR 22-A	Page 116
Cordless reciprocating saw WSR 36-A	Page 116



Abrasives

Cutting, Grinding and Sanding discs	Page 117
-------------------------------------	----------



Diamond Cutting Discs

Diamond cutting discs	Page 118-120
-----------------------	--------------



Diamond Cup Wheels

Diamond cup wheels	Page 120-121
--------------------	--------------



Diamond Saw Blades

Floor saw blade DS-BF CG1/LP	Page 121
------------------------------	----------



Sawing and Sanding

Cordless circular saw SCM 22-A	Page 122
22V cordless circular saw for cutting thicknesses up to 70 mm SC 70W-A22	Page 122
22V cordless circular saw featuring low weight, for cutting materials up to 57 mm thick SCW 22-A	Page 122
Circular saw for heavy cutting applications in thicknesses up to 70 mm SCW 70	Page 122
Circular saw WSC 85	Page 122
Cordless reciprocating saw WSR 22-A	Page 123
Cordless reciprocating saw WSR 36-A	Page 123
Orbital reciprocating saw WSR 1400-PE	Page 123
Eccentric sander WFE 450-E	Page 123
Orbital sander WFO 280	Page 123
Orbital jig saw WSJ 750-ET	Page 123
Orbital jig saw with top handle and 850W motor WSJ 850-ET	Page 123



Saw Blades

Circular saw blades for fast, precise cutting in wood SCB Wood	Page 122
--	----------



Vacuum Cleaners

Universal wet and dry vacuum cleaner VC 20-U(M)	Page 124
Universal wet and dry cordless and corded vacuum cleaner VC 20-U(M)-Y	Page 124
Universal vacuum cleaner VC 40-UM	Page 124
Universal wet and dry cordless and corded vacuum cleaner VC 40-U(M)-Y	Page 124

Slim and powerful 820W corded angle grinder with on/off side switch for all cutting and grinding applications using discs up to 115 mm diameter AG 115-S



KEY APPLICATIONS & ADVANTAGES

- Cutting and grinding metals
- Occasional use for cutting and grinding mineral materials
- Mainly finishing applications
- Powerful 850 W (700 W) motor
- Low-profile design for easy access to tight spaces

Technical data	
Disclaimer	Use the specified guard for the type of disc selected
Rated input power	850 W
Disc diameter	115 mm
A-weighted emission sound power level¹⁾	96 dB (A)
Active Torque Control	No
No-load speed	11500 rpm
Max. cutting depth	24 mm
Weight according to EPTA Procedure 01/2003	2 kg

¹⁾ according to EN 60745

Ordering designation	Package contents	Sales pack quantity	Item number
AG 115-8S	1x Angle grinder AG 115-8S 230V, 1x Installation wrench M14 / 5/8", 1x Protective cover Ø115	1 pc	2075668

Slim and powerful 820W corded angle grinder with dead man's switch for all cutting and grinding applications using discs up to 115 mm diameter AG 115-D



KEY APPLICATIONS & ADVANTAGES

- Cutting and grinding metals
- Occasional use for cutting and grinding mineral materials
- Mainly finishing applications
- Powerful 850 W (700 W) motor
- Low-profile design for easy access to tight spaces

Technical data	
Disclaimer	Use the specified guard for the type of disc selected
Rated input power	850 W
Disc diameter	115 mm
A-weighted emission sound power level¹⁾	96 dB (A)
Active Torque Control	No
No-load speed	11500 rpm
Max. cutting depth	24 mm
Weight according to EPTA Procedure 01/2003	2 kg

¹⁾ according to EN 60745

Ordering designation	Package contents	Sales pack quantity	Item number
AG 115-8D	1x Angle grinder AG 115-8D 230V, 1x Installation wrench M14 / 5/8", 1x Protective cover Ø115	1 pc	2075669

Angle grinder DCG 125-S



KEY APPLICATIONS & ADVANTAGES

- Cutting and grinding mineral materials
- Masonry
- Brick
- Angle grinder for cutting and grinding on mineral materials
- Hilti Smart Power Technology™ for constantly high cutting performance

Technical data	
Disclaimer	Use the specified guard for the type of disc selected
Disc diameter	125 mm
A-weighted emission sound power level¹⁾	101 dB (A)
Active Torque Control	Yes
No-load speed	11000 rpm
Max. cutting depth	35 mm
Supply cord length	4000 mm
Weight according to EPTA Procedure 01/2003	2.4 kg

¹⁾ according to EN 60745

Ordering designation	Package contents	Sales pack quantity	Item number
COMBO DCG125 3PACK		1 pc	3444021
COMBO DCG125 5PACK		1 pc	3444067
DCG 125-S 230V KL box	1x Angle grinder DCG 125-S 230V EU, 1x Protective cover 125 assy, 1x Quick-locking nut flat	1 pc	382574



2000W corded angle grinder with dead man's switch for all cutting and grinding applications on metals using discs up to 180 mm diameter AG 180-D



KEY APPLICATIONS & ADVANTAGES

- Weld grinding and metal preparation
- Three-position side handle

Technical data

Disclaimer	Use the specified guard for the type of disc selected
Rated input power	2000 W
Disc diameter	180 mm
A-weighted emission sound power level¹⁾	108 dB (A)
No-load speed	8500 rpm
Max. cutting depth	42 mm
Weight according to EPTA Procedure 01/2003	5.2 kg

¹⁾ according to EN 60745

Ordering designation	Package contents	Sales pack quantity	Item number
AG 180-20D	1x Angle grinder AG 180-20D 230V, 1x Installation wrench M14 / 5/8", 1x Protective cover Ø180	1 pc	2075676

2000W corded angle grinder with dead man's switch for all cutting and grinding applications on metals using discs up to 230 mm diameter AG 230-20D



KEY APPLICATIONS & ADVANTAGES

- Weld grinding and metal preparation
- Three-position side handle
- Safety multi-finger dead-man's switch

Technical data

Disclaimer	Use the specified guard for the type of disc selected
Disc diameter	230 mm
A-weighted emission sound power level¹⁾	94 dB (A)
Active Torque Control	No
No-load speed	6500 rpm
Max. cutting depth	68 mm
Weight according to EPTA Procedure 01/2003	5.26 kg

¹⁾ according to EN 60745

Ordering designation	Package contents	Sales pack quantity	Item number
Baby Grinder Big Grinder P	1x Angle grinder AG 230-20D, 1x Installation wrench M14 / 5/8", 1x Protective cover LAG230, 1x Angle grinder AG 115-8D 230V, 1x Installation wrench M14 / 5/8", 1x Protective cover Ø115	1 pc	3558934
AG 230-20D	1x Angle grinder AG 230-20D, 1x Installation wrench M14 / 5/8", 1x Protective cover LAG230	1 pc	2116134

Angle grinder DCG 230-D



KEY APPLICATIONS & ADVANTAGES

- Cutting concrete
- Slitting for installation of cable conduits in concrete and brick
- For mineral materials and metals
- Hilti Smart Power technology ensures constantly high cutting performance
- ATC provides maximum safety and unrestricted working comfort thanks to automatic motor cut-out in potentially hazardous situations



Technical data

Disclaimer	Use the specified guard for the type of disc selected
Rated input power	2600 W
Disc diameter	230 mm
A-weighted emission sound power level¹⁾	101 dB (A)
Active Torque Control	Yes
No-load speed	6500 rpm
Max. cutting depth	60 mm
Supply cord length	4000 mm
Weight according to EPTA Procedure 01/2003	6.6 kg

¹⁾ according to EN 60745

Ordering designation	Package contents	Sales pack quantity	Item number
DCG 230-D 230V box	1x Angle grinder DCG 230-D 230V EU, 1x Quick-locking nut flat	1 pc	70293

Angle grinder DCG 230-DB



KEY APPLICATIONS & ADVANTAGES

- General cutting and grinding (with quick-acting brake for added safety)
- Surface finishing work on materials of all kinds
- Joint repair and slitting for installation of cable conduits
- Hilti Smart Power technology ensures constantly high cutting performance
- ATC provides maximum safety and unrestricted working comfort thanks to automatic motor cut-out in potentially hazardous situations



Technical data

Disclaimer	Use the specified guard for the type of disc selected
Rated input power	2400 W
Disc diameter	230 mm
A-weighted emission sound power level¹⁾	101 dB (A)
Active Torque Control	Yes
No-load speed	6500 rpm
Max. cutting depth	60 mm
Supply cord length	4000 mm
Weight according to EPTA Procedure 01/2003	6.8 kg

¹⁾ according to EN 60745

Ordering designation	Package contents	Sales pack quantity	Item number
DCG 230-DB 230V box	1x Angle grinder DCG 230-DB 230V EU, 1x Quick-locking nut flat	1 pc	70743

Cordless angle grinder AG 125-A22



KEY APPLICATIONS & ADVANTAGES

- Finishing
- Demolition
- Cutting and grinding steel and other metals
- Best ergonomic design and safety features of all comparable tools on the market (disc brake, ATC, automatic off)
- 30-40 % higher performance and battery capacity than competitors' tools



Technical data

Disk diameter	125 mm
Max cutting depth	34 mm
Spindle thread	14 mm
Active torque control	Yes
Active Vibration Reduction	No
Weight according to EPTA Procedure 01/2003	2.7 kg
Battery type	Li-ion
Deadman switch	Yes

Ordering designation	Package contents	Sales pack quantity	Item number
AG 125-A22	1x Cordless grinder AG 125 1x Case	1 pc	

Diamond cutter DCH 230



KEY APPLICATIONS & ADVANTAGES

- Cutting reinforced concrete, granite curbstones, slabs, brick and masonry blocks
- Cutting metal beams, steel pipes and reinforcing bars
- Preliminary cuts for controlled demolition
- Cuts 50% deeper than conventional angle grinders
- Greater control: wheel rotation guides tool away from the operator's body

Technical data

Arbour	22.2 mm
Disc diameter	230 mm
Rotation speed	gear 1: 6500 rpm
Base materials	All types of concrete and brick, All types of masonry (hollow brick, sand-lime block, etc.)
Cutting depth	85 mm
A-weighted emission sound pressure level ¹⁾	102.5 dB (A)
Triaxial vibration value for cutting concrete slab (ah) ²⁾	4.7 m/s ²

¹⁾ according to EN 60745

²⁾ according to EN 60745-2-22



Ordering designation	Package contents	Sales pack quantity	Item number
DCH 230 230V	1x Diamond cutter DCH 230 230V, 1x Installation wrench SW 24/10, 1x Screw driver SW 6	1 pc	47990

Diamond cutter DCH 300



KEY APPLICATIONS & ADVANTAGES

- Cutting reinforced concrete, granite curbstones, slabs, brick and masonry blocks
- Cutting metal beams, steel pipes and reinforcing bars
- Making preliminary cuts for controlled demolition
- Cuts can be made at up to twice the depth possible with conventional angle grinders
- Greater control: blade rotation guides the tool away from the operator's body

Technical data

Arbour	22.2 mm
Disc diameter	305 mm
Rotation speed	gear 1: 4900 rpm
Base materials	All types of concrete and brick, All types of masonry (hollow brick, sand-lime block, etc.)
Cutting depth	120 mm
A-weighted emission sound pressure level ¹⁾	106 dB (A)
Triaxial vibration value for cutting concrete slab (ah) ²⁾	5.1 m/s ²

¹⁾ according to EN 60745

²⁾ according to EN 60745-2-22



Ordering designation	Package contents	Sales pack quantity	Item number
DCH 300 230V	1x Diamond cutter DCH 300 230V, 1x Installation wrench SW 24/10, 1x Screw driver SW 6	1 pc	47994

Hand-held gas saw DSH 700



KEY APPLICATIONS & ADVANTAGES

- Cutting curbstones and paving slabs to size
- Perimeter cutting in asphalt and concrete
- Cutting expansion joints in fresh concrete
- Low-maintenance cyclone air filter
- Two-stroke engine with exhaust pressure wave tuning

Technical data

Power (max.)	3.5 kW
Rotation speed	gear 1: 3000 rpm
Base materials	All types of concrete and brick, All types of masonry (hollow brick, sand-lime block, etc.), Steel, Asphalt
A-weighted emission sound pressure level¹⁾	111 dB (A)
Triaxial vibration value for cutting concrete slab (ah)²⁾	4.5 m/s ²
Fuel mixture	50:1 (2% oil)

¹⁾ according to EN 60745

²⁾ according to EN 60745-2-22

Ordering designation	Package contents	Sales pack quantity	Item number
DSH 700 30	1x Hand-held gas saw DSH 700 30, 1x Tool set assy, 1x Consumables kit DSH 700/900	1 pc	387103
DSH 700 35	1x Hand-held gas saw DSH 700 35, 1x Tool set assy, 1x Consumables kit DSH 700/900	1 pc	387104

Hand-held gas saw DSH 900



KEY APPLICATIONS & ADVANTAGES

- Cutting curbstones and paving stones
- Cutting sewer pipes and ducts
- Making small openings or breakouts
- High performance
- High torque when needed

Technical data

Base materials	All types of concrete and brick, All types of masonry (hollow brick, sand-lime block, etc.), Steel, Asphalt
A-weighted emission sound pressure level¹⁾	115 dB (A)
Triaxial vibration value for cutting concrete slab (ah)²⁾	5.2 m/s ²
Carburetor (manufacturer, model and type)	Walbro WT 895
Fuel mixture	50:1 (2% oil)

¹⁾ according to EN 60745

²⁾ according to EN 60745-2-22

Ordering designation	Package contents	Sales pack quantity	Item number
DSH 900 35	1x Hand-held gas saw DSH 900 35, 1x Tool set assy, 1x Consumables kit DSH 700/900	1 pc	387105
DSH 900 40	1x Hand-held gas saw DSH 900 40, 1x Tool set assy, 1x Consumables kit DSH 700/900	1 pc	387106

Slitting machine DCH 180-SL



KEY APPLICATIONS & ADVANTAGES

- Quick, neat chasing for cable conduits and pipes in electrical, plumbing, heating and air conditioning installations
- For use on concrete, sand-lime block and brick
- Depth gauge for maximum accuracy
- Very high cutting performance

Technical data

Arbour	22.2 mm
Disc diameter	185 mm
Rotation speed	gear 1: 6500 rpm
Max. cutting width	60 mm
Base materials	All types of concrete and brick, All types of masonry (hollow brick, sand-lime block, etc.)
Cutting depth	60 mm
A-weighted emission sound pressure level ¹⁾	103.5 dB (A)

¹⁾ according to EN 60745



Ordering designation	Package contents	Sales pack quantity	Item number
DCH 180-SL 230V	1x Slitting machine DCH 180-SL 230V, 1x Installation wrench SW 24/10, 1x Screw driver SW 6	1 pc	47998

Slitting machine DC-SE 20



KEY APPLICATIONS & ADVANTAGES

- Equipped with 125 mm discs, the tool can be used to slit to depths of up to 40 mm and widths of up to 46 mm in all widely used materials such as concrete, flint, hard stone, etc.
- For the installation of pipes and conduits in walls
- Highly productive
- Very high slitting performance

Technical data

Arbour	22.2 mm
Disc diameter	125 mm
Rotation speed	gear 1: 7500 rpm
Max. cutting width	46 mm
Base materials	Concrete, Masonry
Cutting depth	40 mm
A-weighted emission sound pressure level ¹⁾	104 dB (A)
Triaxial vibration value for cutting concrete slab (ah) ²⁾	5.8 m/s ²

¹⁾ according to EN 60745

²⁾ according to EN 60745-2-22



Ordering designation	Package contents	Sales pack quantity	Item number
DC SE20 230V	1x Slitting machine DC SE20 230V EUR assy, 1x Slit breaker DC-ST-E, 1x Case	1 pc	312267

Diamond grinder DG 150



KEY APPLICATIONS & ADVANTAGES

- For surface grinding on concrete, screed, removing tile adhesives
- Removing coatings (paint, adhesive remains etc.) from concrete
- New SR motor technology
- Up to 10 times longer life than conventional angle grinders

Technical data

Arbour	19 mm
Disc diameter	150 mm
Rotation speed	gear 1: 4700 rpm; gear 2: 6600 rpm
Base materials	Coatings on concrete, sealers and paint, Concrete
A-weighted emission sound pressure level ¹⁾	88 dB (A)

¹⁾ according to EN 60745



Ordering designation	Package contents	Sales pack quantity	Item number
DG 150 230V	1x Diamond grinder DG 150, 1x Hose coupling, 1x Case	1 pc	369391

Cordless circular saw SCM 22-A

Ordering designation	Package contents	Sales pack quantity	Item number
SCM 22-A cas	1x Cordless circular saw SCM 22-A, 1x Circ. saw blade SC-C MU 165x20 z40 A(20), 1x Case	1 pc	2024449

CPC


22V cordless circular saw featuring low weight, for cutting materials up to 57 mm thick SCW 22-A

Ordering designation	Package contents	Sales pack quantity	Item number
SCW 22-A box	1x Cordless circular saw SCW 22-A	1 pc	423166

CPC


Cordless reciprocating saw for heavy-duty demolition with 22V battery featuring a key-less blade clamp and low vibration for smooth cutting WSR 22-A

Ordering designation	Package contents	Sales pack quantity	Item number
WSR 22-A cas	1x Cordless reciprocating saw WSR 22-A assy, 1x Case	1 pc	404151

CPC


Cordless reciprocating saw WSR 36-A

Ordering designation	Package contents	Sales pack quantity	Item number
WSR 36-A cas	1x Cordless reciprocating saw WSR 36-A, 1x Case	1 pc	213996

CPC


Thin cutting disc, UP line AC-D

Ordering designation	Blade thickness	Sales pack quantity	Item number
AC-D 115 Inox UP 1.0mm	1 mm	25 pc	361893



Cutting disc, UP line AC-D

Ordering designation	Blade diameter	Disc diameter	Blade thickness	Blade / disc shape	Sales pack quantity	Item number
AC-D 125 UP 2.5mm	125 mm	125 mm	2.5 mm	Shape 42	25 pc	361876
AC-D 230 UP 2.5mm	230 mm	230 mm	2.5 mm		25 pc	361879



Grinding disc, UP line AG-D

Ordering designation	Blade diameter	Disc diameter	Blade thickness	Sales pack quantity	Item number
AG-D 115 UP 6.4mm	115 mm	115 mm	6.4 mm	10 pc	361898
AG-D 230 UP 6.4mm	230 mm	230 mm	6.4 mm	10 pc	361902



Super performance thin abrasive cutting disc AC-D SP-line

Ordering designation	Blade diameter	Disc diameter	Blade thickness	Sales pack quantity	Item number
AC-D 115x1.2 SP	117 mm	115 mm	1.2 mm	25 pc	2047357
AC-D 125 (5") SP CAG	125 mm	125 mm	1 mm	25 pc	2126634



Cutting disc, SP line AC-D SP

Ordering designation	Blade diameter	Disc diameter	Blade thickness	Blade / disc shape	Sales pack quantity	Item number
AC-D 115 USP 2.5mm	115 mm	115 mm	2.5 mm	Shape 42	25 pc	361880
AC-D 230 USP 2.5mm	230 mm	230 mm	2.5 mm	Shape 41	25 pc	361884



Grinding disc, SP line AG-D SP

Ordering designation	Blade diameter	Disc diameter	Blade thickness	Sales pack quantity	Item number
AG-D 115 USP 6.4mm	115 mm	115 mm	6.4 mm	10 pc	361903
AG-D 230 USP 6.4mm	230 mm	230 mm	6.4 mm	10 pc	361907



Super performance flap disc for light grinding AF-D SP-line

Ordering designation	Blade diameter	Disc diameter	Max. permitted speed	Sales pack quantity	Item number
AF-D 115 G60 RF CX SP	115 mm	115 mm	13300 rpm	10 pc	438326
AF-D 125 G60 RF CX SP	125 mm	125 mm	12200 rpm	10 pc	438329



Sanding discs for wood W-CFE 150-VW

Ordering designation	Grain density - for aluminium	Sales pack quantity	Item number
W-CFE 150-VW P60 (50)	P60	50 pc	315730
W-CFE 150-VW P80 (50)	P80	50 pc	315731
W-CFE 150-VW P120 (50)	P120	50 pc	315733



Sanding wood with random orbit sanders

Ordering designation	Grain density - for aluminium	Sales pack quantity	Item number
W-CFO 280-VW P60 (50)	P60	50 pc	315763
W-CFO 280-VW P80 (50)	P80	50 pc	315764
W-CFO 280-VW P100 (50)	P100	50 pc	315765




Sanding sheets for paint and varnish W-CFO 280-VP

Ordering designation	Grain density - for aluminium	Sales pack quantity	Item number
W-CFO 280-VP P60 (50)	P60	50 pc	315776
W-CFO 280-VP P80 (50)	P80	50 pc	315777
W-CFO 280-VP P100 (50)	P100	50 pc	315778
W-CFO 280-VP P120 (50)	P120	50 pc	315779
W-CFO 280-VP P180 (50)	P180	50 pc	315783
W-CFO 280-VP P220 (50)	P220	50 pc	315785
W-CFO 280-VP P320 (50)	P320	50 pc	315789
W-CFO 280-VP P400 (50)	P400	50 pc	315790

Standard diamond segmented cutting blade for gas saws, angle grinders and electric cutters, for cutting concrete, masonry and other materials P Universal

Ordering designation	Arbour	Segment width	Blade diameter	Segment height	Sales pack quantity	Item number
Concrete Cutting Combo					1 pc	3539940
Concrete Cutting Combo 2					1 pc	3540070
P-S 115/22.2 univ	22.23 mm	2 mm	115 mm	12 mm	1 pc	2118559
P-S 115/22.2 (6) univ	22.23 mm	2 mm	115 mm	12 mm	6 pc	2118702
P-S 115/22.2 (30) univ	22.23 mm	2 mm	115 mm	12 mm	6 pc	2118735
P-S 180/22.2 univ	22.23 mm	2.2 mm	180 mm	12 mm	1 pc	2118671
P-S 180/22.2 (6) univ	22.23 mm	2.2 mm	180 mm	12 mm	6 pc	2118704
P-S 230/22.2 univ	22.23 mm	2.6 mm	230 mm	12 mm	1 pc	2118672
P-S 230/22.2 (6) univ	22.23 mm	2.6 mm	230 mm	12 mm	6 pc	2118705
P-S 230/22.2 (24) univ	22.23 mm	2.6 mm	230 mm	12 mm	6 pc	2118737
P 350/25 univ	25.4 mm	3.2 mm	350 mm	10 mm	1 pc	2118677



Premium diamond-segmented cutting disc for gas saws, angle grinders and electric cutters, for cutting all types of concrete, masonry and other materials SP Universal

Ordering designation	Arbour	Blade thickness	Segment width	Blade diameter	Sales pack quantity	Item number
SP-S 115/22 univ	22.23 mm	1.5 mm	2.5 mm	115 mm	1 pc	2117858
SP-S 115/22 (6) univ	22.23 mm	1.5 mm	2.5 mm	115 mm	6 pc	2117859
SP-S 125/22 univ	22.23 mm	1.5 mm	2.5 mm	125 mm	1 pc	2117870
SP-S 125/22 (6) univ	22.23 mm	1.5 mm	2.5 mm	125 mm	6 pc	2117871
SP-S 230/22 univ	22.23 mm	1.8 mm	2.8 mm	230 mm	1 pc	2117876
SP-S 230/22 (6) univ	22.23 mm	1.8 mm	2.8 mm	230 mm	6 pc	2117877
SP 350/25 univ	25.4 mm	2.2 mm	3.2 mm	350 mm	1 pc	2117898
SP 350/25 (6) univ	25.4 mm	2.2 mm	3.2 mm	350 mm	6 pc	2117899



Ultimate diamond slitting blade for slitting tools, for slitting concrete and masonry SPX-SL Universal

Ordering designation	Blade thickness	Blade diameter	Number of segments	Segment length	Sales pack quantity	Item number
EQD SPX-SL125 (2) univ	1.5 mm	125 mm	10	30 mm	2 pc	2118046
EQD SPX SL 185(2) univ	1.55 mm	185 mm	14	34 mm	2 pc	2118052



Ultimate diamond cutting blade for gas saws, angle grinders and electric cutters, for cutting all types of concrete, masonry and other materials SPX Universal

Ordering designation	Arbour	Segment width	Blade diameter	Number of segments	Segment length	Sales pack quantity	Item number
EQD SPX 350/20 (6) univ	20 mm	3.3 mm	350 mm	23	40 mm	6 pc	2117973
EQD SPX 115/22 univ	22.23 mm	2.2 mm	115 mm	9	29 mm	1 pc	2117956
EQD SPX 115/22 (6) univ	22.23 mm	2.2 mm	115 mm	9	29 mm	6 pc	2117957
EQD SPX 125/22 univ	22.23 mm	2.2 mm	125 mm	9	32 mm	1 pc	2117958
EQD SPX 125/22 (6) univ	22.23 mm	2.2 mm	125 mm	9	32 mm	6 pc	2117959
EQD SPX 180/22 univ	22.23 mm	2.4 mm	180 mm	12	37 mm	1 pc	2117962
EQD SPX 180/22 (6) univ	22.23 mm	2.4 mm	180 mm	12	37 mm	6 pc	2117963
EQD SPX 230/22 univ	22.23 mm	2.6 mm	230 mm	15	39 mm	1 pc	2117964
EQD SPX 230/22 (6) univ	22.23 mm	2.6 mm	230 mm	15	39 mm	6 pc	2117965
EQD SPX 305/22 univ	22.23 mm	3.2 mm	305 mm	21	38 mm	1 pc	2117966
EQD SPX 305/22 (6) univ	22.23 mm	3.2 mm	305 mm	21	38 mm	6 pc	2117967
EQD SPX 350/25 univ	25.4 mm	3.3 mm	350 mm	23	40 mm	1 pc	2117974
EQD SPX 400/25 univ	25.4 mm	3.5 mm	400 mm	27	40 mm	1 pc	2117978



Ultimate diamond cutting blade for gas saws, angle grinders and electric cutters, for cutting all types of abrasive materials including masonry, brick and sand-lime block SPX Masonry

Ordering designation	Blade thickness	Segment width	Blade diameter	Segment length	Sales pack quantity	Item number
EQD SPX 115/22 mas.	1.5 mm	2.2 mm	115 mm	29 mm	1 pc	2117982
EQD SPX 125/22 mas.	1.7 mm	2.4 mm	125 mm	32 mm	1 pc	2117984
EQD SPX 125/22 (6) mas.	1.7 mm	2.4 mm	125 mm	32 mm	6 pc	2117985
EQD SPX 180/22 mas.	1.7 mm	2.4 mm	180 mm	37 mm	1 pc	2117988
EQD SPX 230/22 mas.	1.7 mm	2.6 mm	230 mm	39 mm	1 pc	2117990
EQD SPX 230/22 (6) mas.	1.7 mm	2.6 mm	230 mm	39 mm	6 pc	2117991
EQD SPX 305/22 mas.	2.4 mm	3.2 mm	305 mm	38 mm	1 pc	2117992



Premium diamond slitting blade for slitting tools, for slitting concrete and masonry SP-SL Universal

Ordering designation	Blade thickness	Blade diameter	Number of segments	Sales pack quantity	Item number
SP-SL 125 (2) univ	1.5 mm	125 mm	10	2 pc	2118050
SP-SL 185 (2) univ	1.55 mm	185 mm	15	2 pc	2118054



Premium diamond cutting blade for angle grinders, for cutting tiles, ceramics and natural stone SP-T Tile

Ordering designation	Disc diameter	Segment width	Max. permitted speed	Sales pack quantity	Item number
SP-T 115/22 tile	115 mm	1.6 mm	11225 rpm	1 pc	2117706
SP-T 125/22 (2) tile	125 mm	1.6 mm	11225 rpm	2 pc	2117709
SP-T 230/22 tile	230 mm	1.9 mm	6650 rpm	1 pc	2117721




Premium diamond cutting disc for angle grinders, for cutting hard tiles, ceramics and natural stone SP-T Hard Tile

Ordering designation	Disc diameter	Sales pack quantity	Item number
SP-T 230/22 stoneware		1 pc	2136428
SP-T 115/22 stoneware	115 mm	1 pc	2117722
SP-T 125/22 (2) stoneware	125 mm	2 pc	2117725



Diamond cutting disc Asphalt (A)

Ordering designation	Sales pack quantity	Item number
DC-D 350/3.2/25.4 A1	1 pc	360640



Ultimate diamond cutting blade for gas saws, angle grinders and electric cutters, for cutting all types of concrete C-SP

Ordering designation	Disc diameter	Blade thickness	Segment width	Blade diameter	Sales pack quantity	Item number
DC-D 125/22 C-SP	125 mm	1.5 mm	2.2 mm	105 mm	1 pc	425848
DC-D 230/22 C-SP	230 mm	1.7 mm	2.6 mm	206 mm	1 pc	425866
DC-D 230/22 C-SP (5)	230 mm	1.7 mm	2.6 mm	206 mm	5 pc	425867



General Performance diamond cutting disc GP (single segments)

Ordering designation	Disc diameter	Max. cutting depth	Number of segments	Sales pack quantity	Item number
DC-D 115/22.2/GPx5	115 mm	30 mm	9	5 pc	360501
DC-D 125/22.2/GPx5	125 mm	35 mm	10	5 pc	360503



Diamond cutting disc M-SP (Masonry Special Performance)

Ordering designation	Disc diameter	Segment width	Blade diameter	Segment length	Sales pack quantity	Item number
DC-D 125/22 M-SP	125 mm	2.2 mm	101 mm	32 mm	1 pc	425852
DC-D 180/22 M-SP	180 mm	2.4 mm	156 mm	37 mm	1 pc	425864



Standard diamond cup wheel for grinding all types of concrete, screed and natural stone P universal

Ordering designation	Disc diameter	Arbour	Colour	Number of segments	Sales pack quantity	Item number
DG-CW 115/22.2 P (2)	115 mm	22.23 mm	Grey	8	2 pc	2118429
DG-CW 115/22.2 P (6)	115 mm	22.23 mm	Grey	8	6 pc	2118655
DG-CW 125/22.2 P (2)	125 mm	22.23 mm	Grey	9	2 pc	2118650
DG-CW 180/22.2 P (2)	175 mm	22.23 mm	Grey	11	2 pc	2118651



Premium diamond cup wheel for grinding all types of concrete, screed and natural stone DG-CW UP

Ordering designation	Disc diameter	Arbour	Colour	Number of segments	Sales pack quantity	Item number
DG-CW 125/5" UP (2)	125 mm	22.2 mm	Black	7	2 pc	2055141
DG-CW 150/6" UP (2)	150 mm	19 mm	Black	8	2 pc	2055143



Ultimate diamond cup wheel for grinding all types of concrete, screed and natural stone DG-CW CR-SP

Ordering designation	Disc diameter	Arbour	Colour	Number of segments	Sales pack quantity	Item number
DG-CW 125/5" CR-SP	125 mm	22.2 mm	Red	7	1 pc	2055145
DG-CW 150/6" CR-SP	150 mm	19 mm	Red	8	1 pc	2055147



Ultimate diamond cup wheel for removing of all types of thin coatings such as paint, adhesive and epoxy DG-CW AS-SP

Ordering designation	Disc diameter	Arbour	Colour	Number of segments	Sales pack quantity	Item number
DG-CW 125/5" AS-SP	125 mm	22.2 mm	Light grey	7	1 pc	2055153
DG-CW 150/6" AS-SP	150 mm	19 mm	Light grey	8	1 pc	2055154



Ultimate diamond cup wheel for removing of all types of thick coatings such as polyurethane, epoxy and plastics DG-CW AP-SP

Ordering designation	Disc diameter	Arbour	Colour	Number of segments	Sales pack quantity	Item number
DG-CW 125/5" AP-SP	125 mm	22.2 mm	Dark grey RAL 7030	6	1 pc	2055155
DG-CW 150/6" AP-SP	150 mm	19 mm	Dark grey RAL 7030	6	1 pc	2055156



Floor saw blade DS-BF CG1/LP

Ordering designation	Sales pack quantity	Item number
DS-BF 350/25.4 CG1/LP	1 pc	368673



Floor saw blade DS-BF A1/LP

Ordering designation	Sales pack quantity	Item number
DS-BF 350/25.4/A1/LP	1 pc	360656



Floor saw blade DS-BF C1/LP

Ordering designation	Sales pack quantity	Item number
DS-BF 350/25.4/C1/LP	1 pc	360644



Cordless circular saw SCM 22-A

Ordering designation	Package contents	Sales pack quantity	Item number
SCM 22-A cas	1x Cordless circular saw SCM 22-A, 1x Circ. saw blade SC-C MU 165x20 z40 A(20), 1x Case	1 pc	2024449

CPC


22V cordless circular saw for cutting thicknesses up to 70 mm SC 70W-A22

Ordering designation	Package contents	Sales pack quantity	Item number
SC 70W-A22 cas	1x Cordless circular saw SC 70W-A22 (EU) small, 1x Case	1 pc	2089210

CPC


22V cordless circular saw featuring low weight, for cutting materials up to 57 mm thick SCW 22-A

Ordering designation	Package contents	Sales pack quantity	Item number
SCW 22-A box	1x Cordless circular saw SCW 22-A	1 pc	423166

CPC


Circular saw for heavy cutting applications in thicknesses up to 70 mm SCW 70

Ordering designation	Package contents	Sales pack quantity	Item number
SCW 70 230V cas	1x Circular saw SCW 70 230 V EUR, 1x Circ. saw blade W-CSC 190x30 z24 A, 1x Case	1 pc	427725



Circular saw WSC 85

Ordering designation	Package contents	Sales pack quantity	Item number
WSC 85 230V cas	1x Circular saw WSC 85 230V, 1x Circ. saw blade W-CSC230X2,8/30Z24, 1x Allen wrench 5, 1x Case	1 pc	314543



Circular saw blades for fast, precise cutting in wood SCB Wood

Ordering designation	Base material	Blade diameter	Arbour	Blade thickness	Kerf width	Sales pack quantity	Item number
SCB WU 190x30 z24A (5)		190 mm	30 mm	1 mm	1.5 mm	5 pc	2145816
SCB WU 165x20 z24 A(5)	Wood	165 mm	20 mm	1 mm	1.5 mm	5 pc	2070222
SCB WU 230x30 z24(5)	Wood	230 mm	30 mm	1.6 mm	2.5 mm	5 pc	2070230



Circular saw blades for metal SC-C M

Ordering designation	Base material	Number of teeth	Blade type	Max. rpm	Tooth type	Sales pack quantity	Item number
SC-C MU 165x20 z40 A	Ferrous metal	40	Steel	4200	WZ	1 pc	2014797
SC-C MS 165 AL	Non-ferrous metal	48	Aluminium	9500	FZ/TR	1 pc	2023990



Cordless reciprocating saw for heavy-duty demolition with 22V battery featuring a key-less blade clamp and low vibration for smooth cutting WSR 22-A

Ordering designation	Package contents	Sales pack quantity	Item number
WSR 22-A cas	1x Cordless reciprocating saw WSR 22-A assy, 1x Case	1 pc	404151

CPC


Cordless reciprocating saw WSR 36-A

Ordering designation	Package contents	Sales pack quantity	Item number
WSR 36-A cas	1x Cordless reciprocating saw WSR 36-A, 1x Case	1 pc	213996

CPC


Orbital reciprocating saw WSR 1400-PE

Ordering designation	Package contents	Sales pack quantity	Item number
WSR 1400PE 230V	1x Orbital recipro. saw WSR 1400PE 230V, 1x Case	1 pc	304548

AVR

5

Eccentric sander WFE 450-E

Ordering designation	Package contents	Sales pack quantity	Item number
WFE 450-E 230V	1x Eccentric sander WFE 450-E 230V, 1x Dust box, 1x Case	1 pc	337296



Orbital sander WFO 280

Ordering designation	Package contents	Sales pack quantity	Item number
WFO 280 230V	1x Orbital sander WFO 280 230V CH, 1x Case	1 pc	314511



Orbital jig saw WSJ 750-ET

Ordering designation	Package contents	Sales pack quantity	Item number
WSJ 750-ET 230V	1x Orbital jig saw WSJ 750-ET 230V, 1x Jig saw blade W-CS W 73/4, 1x Allen wrench 5, 1x Case	1 pc	375990

AVR


Orbital jig saw with top handle and 850W motor WSJ 850-ET

Ordering designation	Package contents	Sales pack quantity	Item number
WSJ 850-ET 230V	1x Orbital jig saw WSJ 850-ET 230V, 1x Jig saw blade W-CS W 74/4, 1x Allen wrench 5, 1x Case	1 pc	375995

AVR


Universal wet and dry vacuum cleaner with automatic filter cleaning – tank capacity 21 liters – class M VC 20-U(M)

Ordering designation	Package contents	Sales pack quantity	Item number
VC 20-U 230V	1x Univ. vacuum cleaner VC 20-U 230 V	1 pc	222209



Universal wet and dry cordless and corded vacuum cleaner with automatic filter cleaning – tank capacity 21 liters – class M VC 20-U(M)-Y

Ordering designation	Package contents	Sales pack quantity	Item number
VC 20-U-Y 230V	1x Univ. vacuum cleaner VC 20-U-Y 230V	1 pc	2044306



Universal vacuum cleaner VC 40-UM

Ordering designation	Package contents	Sales pack quantity	Item number
VC 40-U 230V	1x Univ. vacuum cleaner VC 40-U 230 V	1 pc	212300



Universal wet and dry cordless and corded vacuum cleaner with automatic filter cleaning – tank capacity 36 liters – class M VC 40-U(M)-Y

Ordering designation	Package contents	Sales pack quantity	Item number
VC 40-U-Y 230V	1x Univ. vacuum cleaner VC 40-U-Y 230V	1 pc	2044382



Universal vacuum cleaner VC 60-U

Ordering designation	Package contents	Sales pack quantity	Item number
VC 60-U 230V	1x Univ. vacuum cleaner VC 60-U 230V	1 pc	209759



Accessories VC 20/40/60-U

Ordering designation	Sales pack quantity	Item number
Filter VC 60 univ	1 pc	203864
Suction hose 36x5m assy	1 pc	203866
Floor nozzle VC 20/40/60	1 pc	203873
Bend VC 20/40/60 assy	1 pc	203875
Adapter plate VC 20/40	1 pc	2044211
Tool box VC 20/40	1 pc	2044212
Accessory kit VC 20/40	1 pc	2044213
Push bar VC 20	1 pc	2044214
Push bar VC 40	1 pc	2047174
Dust bag VC 40 (10) plastic	10 pc	203852
Dust bag VC 20 (10) plastic	10 pc	203854

Accessories for Vacuum Cleaners

Ordering designation		VC 20-U(M)-Y	VC 40-U(M)-Y	VC 40-UM	VC 20-U(M)	Sales pack quantity	Item number
Dust bag VC 40 (10) plastic			■	■		10 pc	203852
Adapter plate VC 20/40		■	■	■	■	1 pc	2044211
Battery pack B 36/3.0 Li-Ion		■	■			1 pc	418009
Battery pack B 36/3.9 Li-Ion		■	■			1 pc	401594
Battery pack B 36/6.0 Li-Ion		■	■			1 pc	2018896
Bend VC 20/40/60 assy		■	■	■	■	1 pc	203875
Dust bag VC 20 (10) plastic		■			■	10 pc	203854
Floor nozzle VC 20/40/60		■	■	■	■	1 pc	203873
Push bar VC 20		■			■	1 pc	2044214
Push bar VC 40			■	■		1 pc	2047174
Tool box VC 20/40		■	■	■	■	1 pc	2044212